

2. (Three Times Amended) A communication apparatus comprising:

facsimile communication means for performing facsimile communication through the Internet by dial-up connection; and

reception means for, in response to a notification, from a calling party communication apparatus using a PSTN, that the calling party communication apparatus has sent a facsimile to the communication apparatus through the Internet, setting up connection to the Internet by dial-up connection and receiving facsimile communication information through the Internet by POP (Post Office Protocol).

5. (Three Times Amended) A communication apparatus capable of facsimile communication through the Internet by dial-up connection, comprising:

display means for, in response to a notification, from a calling party communication apparatus using a PSTN, that the calling party communication apparatus has sent a facsimile to the communication apparatus through the Internet, displaying information representing that the calling party communication apparatus has sent a facsimile to the communication apparatus through the Internet and station address information of a calling party; and

determination means for determining on the basis of selection by a user whether the communication apparatus is to set up connection to the Internet by dial-up connection to receive facsimile communication information through the Internet by POP (Post Office Protocol).

D2
C' 4

6. (Twice Amended) The apparatus according to claim 5, further comprising operation mode registration means for registering whether, in response to the notification, dial-up connection is to be immediately performed on the basis of a station address of the calling party communication apparatus to receive the facsimile communication information through the Internet by POP (Post Office Protocol).

9. (Twice Amended) A communication method comprising:
a facsimile communication step of performing facsimile communication through the Internet by dial-up connection; and
a notification step of notifying a recipient using a PSTN that a facsimile has been sent through the Internet prior to the recipient accessing the Internet.

D3

10. (Thrice Amended) A control method for a communication apparatus comprising:
a facsimile communication step of performing facsimile communication through the Internet by dial-up connection with a station; and
a reception step of, in response to a notification, from a calling party communication apparatus using a PSTN, that the calling party communication apparatus has sent a facsimile to the communication apparatus through the Internet, setting up connection to the Internet by dial-up connection and receiving facsimile communication information through the Internet by POP (Post Office Protocol).

D3
11. (Thrice Amended) A control method for a communication apparatus capable of facsimile communication through the Internet by dial-up connection, comprising the steps of:
in response to a notification, from a calling party communication apparatus using a PSTN, that the calling party communication apparatus has sent a facsimile to the communication apparatus through the Internet, displaying information representing that the calling party communication apparatus has sent a facsimile to the communication apparatus through the Internet and station address information of the calling party communication apparatus; and
determining on the basis of selection by user whether the communication apparatus is to set up connection to the Internet by dial-up connection to receive facsimile communication information through the Internet by POP (Post Office Protocol).

D4
Sub E4
20. (Thrice Amended) A communication apparatus comprising:
transmission means for transmitting facsimile data via the Internet; and
notification means for notifying a recipient, by a method different from that of the transmission means, that the transmission means has executed transmission of the facsimile data via the Internet, prior to the recipient accessing the Internet.

D5
14 E5
22. (Thrice Amended) A communication apparatus comprising:
first means for sending facsimile data over a first communication network to a recipient;
second means for sending data over a second communication network to said recipient;